

# GEORGIA MEDICAID FEE-FOR-SERVICE ANTIDEPRESSANTS PA SUMMARY

Preferred	Non-Preferred
Preferred SSRIs	Non-Preferred SSRIs
Citalopram tablets, oral solution generic	n/a
Escitalopram tablets generic Fluoxetine IR capsules, oral solution generic	
Fluvoxamine IR generic	
Paroxetine IR tablets generic	
Sertraline generic	
Preferred SNRIs	Non-Preferred SNRIs
Desvenlafaxine succinate ER generic (generic Pristiq)	Fetzima (levomilnacipran)
Duloxetine capsules generic except 40 mg	Savella (milnacipran)
Venlafaxine IR tablets, ER capsules generic	
Preferred Modified Cyclics	Non-Preferred Modified Cyclics
Trazodone 50, 100, 150 mg generic	Nefazodone generic
Trintellix (vortioxetine)*	Viibryd (vilazodone)
Preferred MAO Inhibitors	Non-Preferred MAO Inhibitors
n/a	Emsam (selegiline)
	Marplan (isocarboxazid)
	Phenelzine generic
	Tranyleypromine generic
Preferred TCAs	Non-Preferred TCAs
Amitriptyline generic	Protriptyline generic
Amoxapine generic	Trimipramine generic
Clomipramine generic by Mallinckrodt Desipramine generic	
Doxepin generic	
Imipramine hydrochloride tablets generic	
Nortriptyline generic	
Preferred Alpha-2 Receptor Antagonists	
Mirtazapine generic	
Mirtazapine ODT generic	
Preferred Miscellaneous Antidepressants	Non-Preferred Miscellaneous Antidepressants
Bupropion IR generic	Auvelity (dextromethorphan/bupropion)
Bupropion ER/SR generic	Spravato (esketamine)
Bupropion XL generic	

^non-preferred but does not require PA; SSRI=selective serotonin reuptake inhibitor; SNRI=serotonin norepinephrine reuptake inhibitor; MAO=monoamine oxidase; TCA=tricyclic antidepressant; IR=immediate-release; DR=delayed-release; ER/SR/XL=extended-release; PMDD=premenstrual dysphoric disorder

**LENGTH OF AUTHORIZATION: Varies** 



**NOTE:** All starter/titration kits are only approvable for one time only for new starts (members being titrated on therapy).

#### PA CRITERIA:

## **Trintellix**

❖ Approvable for members 18 years of age and older with major depressive disorder (MDD) who have experienced an inadequate response with at least 1 preferred generic antidepressant.

### Fetzima

❖ Approvable for members 18 years of age or older with a diagnosis of major depressive disorder (MDD) who have experienced an inadequate response, allergies, contraindications, drug-drug interactions or intolerable side effects with the preferred products, venlafaxine (IR or ER) or desvenlafaxine ER or duloxetine.

#### Savella

❖ Approvable for members 18 years of age or older with a diagnosis of fibromyalgia who have experienced ineffectiveness, allergies, contraindications, drug-to-drug interactions or intolerable side effects to Lyrica or duloxetine.

# Nefazodone Generic

❖ Approvable for members 18 years of age or older who have experienced an inadequate response with at least one preferred medication from any of the following groups: 1. SSRI (e.g., citalopram, escitalopram, fluoxetine, sertraline, paroxetine) 2. SNRI (e.g., venlafaxine, desvenlafaxine, duloxetine) 3. Other Antidepressants (e.g., bupropion, mirtazapine, trazodone, Trintellix).

### Viibryd

❖ Approvable for members 18 years of age or older with a diagnosis of major depressive disorder (MDD) who have experienced an inadequate response with at least one preferred medication from any of the following groups: 1. SSRI (e.g., citalopram, escitalopram, fluoxetine, sertraline, paroxetine) 2. SNRI (e.g., venlafaxine, desvenlafaxine, duloxetine) 3. Other Antidepressants (e.g., bupropion, mirtazapine, trazodone, Trintellix)

### Emsam

❖ Approvable for members 12 years of age or older with a diagnosis of major depressive disorder who have experienced an inadequate response with at least one preferred medication from any of the following groups: 1. SSRI (e.g., citalopram, escitalopram, fluoxetine, sertraline, paroxetine) 2. SNRI (e.g., venlafaxine, desvenlafaxine, duloxetine) 3. Other Antidepressants (e.g., bupropion, mirtazapine, trazodone, Trintellix).



• Otherwise, the member must be unable to take medications orally.

### Marplan and Phenelzine Generic

❖ Approvable for members 16 years of age or older with a diagnosis of major depressive disorder who have experienced an inadequate response with at least one preferred medication from any of the following groups: 1. SSRI (e.g., citalopram, escitalopram, fluoxetine, sertraline, paroxetine) 2. SNRI (e.g., venlafaxine, desvenlafaxine, duloxetine) 3. Other Antidepressants (e.g., bupropion, mirtazapine, trazodone, Trintellix).

# Tranylcypromine Generic

- ❖ Approvable for members 16 years of age or older with a diagnosis of major depressive disorder who have experienced an inadequate response with at least one preferred medication from any of the following groups: 1. SSRI (e.g., citalopram, escitalopram, fluoxetine, sertraline, paroxetine) 2. SNRI (e.g., venlafaxine, desvenlafaxine, duloxetine) 3. Other Antidepressants (e.g., bupropion, mirtazapine, trazodone, Trintellix).
- ❖ Approvable for members 16 years of age or older with a diagnosis of neurogenic orthostatic hypotension.

# Protriptyline Generic

- Approvable for members with a diagnosis of major depressive disorder who have experienced an inadequate response, allergies, contraindications, drugdrug interactions or intolerable side effects with at least 1 preferred tricyclic antidepressant.
- ❖ Approvable for members with a diagnosis of chronic obstructive pulmonary disease (COPD) or sleep apnea.

# Trimipramine Generic

❖ Approvable for members with a diagnosis of major depressive disorder who have experienced an inadequate response, allergies, contraindications, drugdrug interactions or intolerable side effects with at least 1 preferred tricyclic antidepressant.

#### Auvelity

❖ Approvable for members 18 years of age or older with a diagnosis of major depressive disorder who have experienced an inadequate response, allergies, contraindications, drug-drug interactions or intolerable side effects with at least 1 preferred generic antidepressant.

### Spravato

❖ Approvable for members 18 years of age or older with a diagnosis of treatment-resistant major depressive disorder who have a baseline scoring in at least one clinical assessment prior to initiation to evaluate efficacy (e.g., HAMD17, QIDS-C16, MADRS, PHQ-9) and when prescribed by or in consultation with a psychiatrist, when administered under the direct



supervision of a healthcare provider and monitored by a healthcare provider for at least 2 hours after and when administered in conjunction with a newly initiated daily oral antidepressant

AND

❖ Member must have experienced an inadequate response with at least 1 preferred generic antidepressant

OR

❖ Approvable for members 18 years of age or older with a diagnosis of depressive symptoms with major depressive disorder (MDD) with acute suicidal ideation or behavior and when prescribed by or in consultation with a psychiatrist, when administered under the direct supervision of a healthcare provider and monitored by a healthcare provider for at least 2 hours after and when administered in conjunction with a newly initiated daily oral antidepressant.

### **EXCEPTIONS:**

- Exceptions to these conditions of coverage are considered through the prior authorization process.
- ❖ The Prior Authorization process may be initiated by calling OptumRx at 1-866-525-5827.

### PREFERRED DRUG LIST:

❖ For online access to the Preferred Drug List (PDL), please go to http://dch.georgia.gov/preferred-drug-lists.

## **PA and APPEAL PROCESS:**

❖ For online access to the PA process, please go to <a href="www.dch.georgia.gov/prior-authorization-process-and-criteria">www.dch.georgia.gov/prior-authorization-process-and-criteria</a> and click on Prior Authorization (PA) Request Process Guide.

## **QUANTITY LEVEL LIMITATIONS:**

❖ For online access to the current Quantity Level Limits (QLL), please go to <a href="https://www.mmis.georgia.gov/portal">www.mmis.georgia.gov/portal</a>, highlight Provider Information and click on Provider Manuals. Scroll to the page with Pharmacy Services and select that manual.